

**TS66M-GB**

Component	Part Number	Part Description
Rod Blank Model #	TS66M-GB	6' 1 pc. Med 15-30 Tough Stick - Gloss Black
Butt Cap:	RG1-23.0	Rubber Gimbal 23.0mm I.D. x 27.0mm O.D. x 46.0mm Length
Rear Grip:	BS10-.625	10" Reagrip .625" I.D. EVA - Black
Reel Seat:	AHD20M-B	HVY Duty Alum Machined R/S - Black
Fore Grip:	BSF10-.625	10" Foregrip .625" I.D. EVA - Black
Grip Cover:	HST-1.38X39.4-B	Heat Shrink Tube (DIA 35) X-Flock 1.38" I.D. x 39.4" - Black
Winding Check:	BH10	Hosel .626" I.D.
Tip Top:	BSULT08F09.5	Forecast HVY Dty S/W Top 08 'H' Flanged Rg 09.5 Tube - Black
Guides (see below for size and quantity):	BSTLG	Forecast Dbl Ft R Frame H Ring Black

Guide order from the tip top	Guide	Guide Placement - In inches from the tip top
1st	BSTLG08	5"
2nd	BSTLG08	10.125"
3rd	BSTLG10	16"
4th	BSTLG12	23.125"
5th	BSTLG16	31"
6th	BSTLG20	40"

The items listed are only suggestions. Batson Enterprises encourages all custom rod builders to find a style that works for them.

**TS66MH-GB**

Component	Part Number	Part Description
Rod Blank Model #	TS66MH-GB	6'6" 1 pc. 20-40 Med/Hvy Tough Stick - Gloss Black
Butt Cap:	RG1-23.0	Rubber Gimbal 23.0mm I.D. x 27.0mm O.D. x 46.0mm Length
Rear Grip:	BS10-.750	10" Reagrip .750" I.D. EVA - Black
Reel Seat:	AHD22M-B	Forecast HVY Duty Alum Machined R/S - Black
Fore Grip:	BSFS14-.625/.750	14" Foregrip Tapered ID: .625" - .750" EVA - Black
Grip Cover:	HST-1.57 X39.4-B	Heat Shrink Tube (DIA 35) X-Flock 1.57" I.D. x 39.4" - Black
Winding Check:	BH10	Hosel .626" I.D.
Tip Top:	BSULT10F11.0	Forecast HVY Dty S/W Top 10 'H' Flanged Rg 11.0 Tube - Black
Guides (see below for size and quantity):	XBHXNLG10	SS316-Heavy XN Guide w/'H' ring 10 - DBC/Black-ALPS

Guide order from the tip top	Guide	Guide Placement - In inches from the tip top
1st	XBHXNLG10	5"
2nd	XBHXNLG10	10.125"
3rd	XBHXNLG10	16"
4th	XBHXNLG12	23.125"
5th	XBHXNLG16	31"
6th	XBHXNLG20	40"

The items listed are only suggestions. Batson Enterprises encourages all custom rod builders to find a style that works for them.

**TS70ML**

Component	Part Number	Part Description
Rod Blank Model #	TS70ML	7' 1 pc. Med/Lt 12-20 Tough Stick - Painted All Gloss Black
Butt Cap:	BC19A	Bulb B/C 19mm I.D. - Black
Rear Grip:	BS10-625	10" EVA Reagrip .625" I.D. EVA - Black
Reel Seat:	AHD20M-B	Forecast HVY Duty Alum Machined R/S - Black
Fore Grip:	BSF08-625	8" Foregrip .625" I.D. EVA - Black
Grip Cover:	HST-1.38X39.4-B	Heat Shrink Tube (DIA 35) X-Flock 1.38" IDx39.4" - Black
Winding Check:	BH10	Hosel .626" I.D.
Tip Top:	BSULT08F08.0	HVY Dty S/W Top 08 'H' Flanged Rg 8.0 Tube - Black
Guides (see below for size and quantity):	BSTLG08	Forecast Dbl Ft R Frame H Ring 08 - Black

Guide order from the tip top	Guide	Guide Placement - In inches from the tip top
1st	BSTLG08	3.75
2nd	BSTLG08	7.75
3rd	BSTLG08	12.25
4th	BSTLG10	17.25
5th	BSTLG10	23.375
6th	BSTLG12	30
7th	BSTLG16	37
8th	BSTLG20	45

The items listed are only suggestions. Batson Enterprises encourages all custom rod builders to find a style that works for them.

**TS70M**

Component	Part Number	Part Description
Rod Blank Model #	TS70M	7' 1 pc. Med 15-30 Tough Stick-Painted All Gloss Black
Butt Cap:	RG1-23.0	Rubber Gimbal 23.0mm I.D. x 27.0mm OD x 46.0mm Length
Rear Grip:	BS10-625	10" EVA Reagrip .625" I.D. EVA - Black
Reel Seat:	AHD20M-B	Forecast HVY Duty Alum Machined R/S - Black
Fore Grip:	BSF10-625	10" Foregrip .625" I.D. EVA - Black
Grip Cover:	HST-1.38X39.4-B	Heat Shrink Tube (DIA 35) X-Flock 1.38" I.D. x 39.4" - Black
Winding Check:	BH11	Hosel .688" I.D.
Tip Top:	BSULT10F10.0	Forecast HVY Dty S/W Top 10 'H' Flanged Rg 10.0 Tube - Black
Guides (see below for size and quantity):	BSTLG	Forecast Dbl Ft R Frame H Ring 08 - Black

Guide order from the tip top	Guide	Guide Placement - In inches from the tip top
1st	BSTLG10	3.75"
2nd	BSTLG10	7.75"
3rd	BSTLG10	12.25"
4th	BSTLG10	17.25"
5th	BSTLG10	23.375"
6th	BSTLG12	30"
7th	BSTLG16	37"
8th	BSTLG20	45"

The items listed are only suggestions. Batson Enterprises encourages all custom rod builders to find a style that works for them.