

SPG601 - Forecast Spinning

Component	Part Number	Part Description
Rod Blank Model #	SPG601-GB	5' 1 pc. Xtra/Lt Glass Spin Gloss Black
Butt cap:	SBC20B	Butt Cap 19.8mm ID-Black
Reel Seat:	GS16C-S	Graphite Spin R/S w/Cushion-Polished S/S
Reel Seat Shim:	SHIM/16/SPIN	Proof Board .590" OD 3.70" Length
Fore Grip:	FG200A/.250	2" Foregrip 'A' Grade
Rear Grip:	RG4A-1875	4" Cork Rear Grip 'A' Grade
Winding Check:	BWC08	Black PVC/Rubber Winding Check .300" I.D.
Hookeeper:	HKS	Small Stainless Steel Hook Keeper
Tip Top:	PLT06R04.5	P Top 06 'H' Ring 4.5 Tube - Chrome
Guides (see below for size and quantity)	VSLG	Single Foot V Frame 'H' Ring - Polished

Guide order from the tip top	Guide	Guide Placement - In inches from the tip top
1st	VSLG06	4"
2nd	VSLG06	9"
3rd	VSLG08	15"
4th	VSLG12	22.5"
5th	VSLG20	32.75"

The items listed are only suggestions. Batson Enterprises encourages all custom rod builders to find a style that works for them.

SPG720 - Forecast Spinning

Component	Part Number	Part Description
Rod Blank Model #	SPG720-GB	6' 1pc Ultra Light Glass Spin - Gloss Black
Butt cap:	SBC20B	Butt Cap 19.8mm ID-Black
Reel Seat:	GS16C-S	Graphite Spin R/S w/Cushion-Polished S/S
Reel Seat Shim:	SHIM/16/SPIN	Proof Board .590" OD 3.70" Length
Fore Grip:	FG200A/.250	2" Foregrip 'A' Grade
Rear Grip:	RG4A-1875	4" Cork Rear Grip 'A' Grade
Winding Check:	BWC09	Black PVC/Rubber Winding Check .350" I.D.
Hookeeper:	HKS	Small Stainless Steel Hook Keeper
Tip Top:	PLT06R05.0	P Top 06 'H' Ring 5.0 Tube - Chrome
Guides (see below for size and quantity)	VSLG	Single Foot V Frame 'H' Ring - Polished

Guide order from the tip top	Guide	Guide Placement - In inches from the tip top
1st	VSLG06	4.5"
2nd	VSLG06	9.75"
3rd	VSLG08	15.75"
4th	VSLG10	22.5"
5th	VSLG12	31"
6th	VSLG20	40"

The items listed are only suggestions. Batson Enterprises encourages all custom rod builders to find a style that works for them.

SPG721 - Forecast Spinning

Component	Part Number	Part Description
Rod Blank Model #	SPG721-GB	6' 1 pc. Ultra Light Glass Spin - Gloss Black
Butt cap:	SBC20B	Butt Cap 19.8mm ID-Black
Reel Seat:	GS16C-S	Graphite Spin R/S w/Cushion-Polished S/S
Reel Seat Shim:	SHIM/16/SPIN	Proof Board .590" OD 3.70" Length
Fore Grip:	FG200A/.250	2" Foregrip 'A' Grade
Rear Grip:	RG4A-1875	4" Cork Rear Grip 'A' Grade
Winding Check:	BWC10	Black PVC/Rubber Winding Check .402" I.D.
Hookeeper:	HKS	Small Stainless Steel Hook Keeper
Tip Top:	PLT06R05.5	P Top 06 'H' Ring 5.5 Tube - Chrome
Guides (see below for size and quantity)	VSLG	Single Foot V Frame 'H' Ring - Polished

Guide order from the tip top	Guide	Guide Placement - In inches from the tip top
1st	VSLG06	4.5"
2nd	VSLG07	9.75"
3rd	VSLG08	15.75"
4th	VSLG10	22.5"
5th	VSLG16	31"
6th	VSLG25	40"

The items listed are only suggestions. Batson Enterprises encourages all custom rod builders to find a style that works for them.

SPG722 - Forecast Spinning

Component	Part Number	Part Description
Rod Blank Model #	SPG722-GB	6' 1 pc. Light Glass Spin - Gloss Black
Butt cap:	SBC20B	Butt Cap 19.8mm ID-Black
Reel Seat:	GS16C-S	Graphite Spin R/S w/Cushion-Polished S/S
Reel Seat Shim:	SHIM/16/SPIN	Proof Board .590" OD 3.70" Length
Fore Grip:	FG200A/.250	2" Foregrip 'A' Grade
Rear Grip:	RG4A-1875	4" Cork Rear Grip 'A' Grade
Winding Check:	BWC10	Black PVC/Rubber Winding Check .402" I.D.
Hookeeper:	HKS	Small Stainless Steel Hook Keeper
Tip Top:	PLT06R06.0	P Top 06 'H' Ring 6.0 Tube - Chrome
Guides (see below for size and quantity)	VSLG	Single Foot V Frame 'H' Ring - Polished

Guide order from the tip top	Guide	Guide Placement - In inches from the tip top
1st	VSLG06	4.5"
2nd	VSLG07	9.75"
3rd	VSLG08	15.75"
4th	VSLG10	22.5"
5th	VSLG16	31"
6th	VSLG25	40"

The items listed are only suggestions. Batson Enterprises encourages all custom rod builders to find a style that works for them.

SPG723 - Forecast Spinning

Component	Part Number	Part Description
Rod Blank Model #	SPG723-GB	6' 1pc Med/Light Glass Spin - Gloss Black
Butt cap:	SBC20B	Butt Cap 19.8mm ID-Black
Reel Seat:	GS16C-S	Graphite Spin R/S w/Cushion-Polished S/S
Reel Seat Shim:	SHIM/16/SPIN	Proof Board .590" OD 3.70" Length
Fore Grip:	FG200A/.250	2" Foregrip 'A' Grade
Rear Grip:	RG4A-1875	4" Cork Rear Grip 'A' Grade
Winding Check:	BWC10	Black PVC/Rubber Winding Check .402" I.D.
Hookeeper:	HKS	Small Stainless Steel Hook Keeper
Tip Top:	PLT06R06.0	P Top 06 'H' Ring 6.0 Tube - Chrome
Guides (see below for size and quantity)	VSLG	Single Foot V Frame 'H' Ring - Polished

Guide order from the tip top	Guide	Guide Placement - In inches from the tip top
1st	VSLG06	4.5"
2nd	VSLG07	9.75"
3rd	VSLG08	15.75"
4th	VSLG10	22.5"
5th	VSLG16	31"
6th	VSLG25	40"

The items listed are only suggestions. Batson Enterprises encourages all custom rod builders to find a style that works for them.

SPG780 - Forecast Spinning

Component	Part Number	Part Description
Rod Blank Model #	SPG780-GB	6' 6" 1pc Xtra/ Lt Glass Spin - Gloss Black
Butt cap:	SBC20B	Butt Cap 19.8mm ID-Black
Reel Seat:	GS16C-S	Graphite Spin R/S w/Cushion-Polished S/S
Reel Seat Shim:	SHIM/16/SPIN	Proof Board .590" OD 3.70" Length
Fore Grip:	FG200A/.250	2" Foregrip 'A' Grade
Rear Grip:	RG4A-1875	4" Cork Rear Grip 'A' Grade
Winding Check:	BWC10	Black PVC/Rubber Winding Check .402" I.D.
Hookeeper:	HKS	Small Stainless Steel Hook Keeper
Tip Top:	PLT06R05.0	P Top 06 'H' Ring 5.0 Tube - Chrome
Guides (see below for size and quantity)	VSLG	Single Foot V Frame 'H' Ring - Polished

Guide order from the tip top	Guide	Guide Placement - In inches from the tip top
1st	VSLG06	4.5"
2nd	VSLG06	9.5"
3rd	VSLG07	15"
4th	VSLG08	21"
5th	VSLG10	28"
6th	VSLG12	35.5"
7th	VSLG20	44"

The items listed are only suggestions. Batson Enterprises encourages all custom rod builders to find a style that works for them.

SPG781 - Forecast Casting

Component	Part Number	Part Description
Rod Blank Model #	SPG781-GB	6'6" 1 pc. Med Glass - Gloss Black
Butt cap:	SBC20B	Butt Cap 19.8mm ID-Black
Reel Seat:	GT16C with GT16C-SN-S	Graphite Trigger Seat with Hood with cushioned Single Nut - Polished
Reel Seat Shim:	SHIM/16/SPIN	Proof Board .590" OD 3.70" Length
Fore Grip:	FG200A/.250	2" Foregrip 'A' Grade
Rear Grip:	RG7A-345	7" Cork Rear Grip 'A' Grade
Winding Check:	BWC10	Black PVC/Rubber Winding Check .450" I.D.
Hookeeper:	HKS	Small Stainless Steel Hook Keeper
Tip Top:	PLT06R05.5	P Top 06 'H' Ring 6.5 Tube - Chrome
Guides (see below for size and quantity)	FLG	S/S Single Foot Fly Guide Ground w/ 'H' Ring - Polished
Guides (see below for size and quantity)	UDLG	Double Foot U Frame 'H' Ring - Polished

Guide order from the tip top	Guide	Guide Placement - In inches from the tip top
1st	FLG06	3.25"
2nd	FLG06	7.75"
3rd	FLG06	12"
4th	FLG07	16.5"
5th	FLG07	22"
6th	UDLG08	28"
7th	UDLG10	35.5"
8th	UDLG12	44"

The items listed are only suggestions. Batson Enterprises encourages all custom rod builders to find a style that works for them.

SPG781 - Forecast Spinning

Component	Part Number	Part Description
Rod Blank Model #	SPG781-GB	6'6" 1 pc. Ultra/Light Glass Spin - Gloss Black
Butt cap:	SBC20B	Butt Cap 19.8mm ID-Black
Reel Seat:	GS16C-S	Graphite Spin R/S w/Cushion-Polished S/S
Reel Seat Shim:	SHIM/16/SPIN	Proof Board .590" OD 3.70" Length
Fore Grip:	FG200A/.250	2" Foregrip 'A' Grade
Rear Grip:	RG4A-1875	4" Cork Rear Grip 'A' Grade
Winding Check:	BWC11	Black PVC/Rubber Winding Check .450" I.D.
Hookeeper:	HKS	Small Stainless Steel Hook Keeper
Tip Top:	PLT06R05.5	P Top 06 'H' Ring 5.5 Tube - Chrome
Guides (see below for size and quantity)	VSLG	Single Foot V Frame 'H' Ring - Polished

Guide order from the tip top	Guide	Guide Placement - In inches from the tip top
1st	VSLG06	4.5"
2nd	VSLG06	9.5"
3rd	VSLG07	15"
4th	VSLG08	21"
5th	VSLG10	28"
6th	VSLG16	35.5"
7th	VSLG25	44"

The items listed are only suggestions. Batson Enterprises encourages all custom rod builders to find a style that works for them.

SPG783 - Forecast Casting

Component	Part Number	Part Description
Rod Blank Model #	SPG783-GB	6'6" 1 pc. Med Glass - Gloss Black
Butt cap:	SBC20B	Butt Cap 19.8mm ID-Black
Reel Seat:	GT16C with GT16C-SN-S	Graphite Trigger Seat with Hood with cushioned Single Nut - Polished
Reel Seat Shim:	SHIM/16/SPIN	Proof Board .590" OD 3.70" Length
Fore Grip:	FG200A/.250	2" Foregrip 'A' Grade
Rear Grip:	RG7A-345	7" Cork Rear Grip 'A' Grade
Winding Check:	BWC11	Black PVC/Rubber Winding Check .450" I.D.
Hookeeper:	HKS	Small Stainless Steel Hook Keeper
Tip Top:	PLT06R06.5	P Top 06 'H' Ring 6.5 Tube - Chrome
Guides (see below for size and quantity)	FLG	S/S Single Foot Fly Guide Ground w/ 'H' Ring - Polished
Guides (see below for size and quantity)	UDLG	Double Foot U Frame 'H' Ring - Polished

Guide order from the tip top	Guide	Guide Placement - In inches from the tip top
1st	FLG06	3.25"
2nd	FLG06	7.75"
3rd	FLG06	12"
4th	FLG07	16.5"
5th	FLG07	22"
6th	UDLG08	28"
7th	UDLG10	35.5"
8th	UDLG12	44"

The items listed are only suggestions. Batson Enterprises encourages all custom rod builders to find a style that works for them.

SPG783 - Forecast Spin

Component	Part Number	Part Description
Rod Blank Model #	SPG783-GB	6'6" 1 pc. Med Glass - Gloss Black
Butt cap:	SBC20B	Butt Cap 19.8mm ID-Black
Reel Seat:	GS16C-S	
Reel Seat Shim:	SHIM/16/SPIN	Proof Board .590" OD 3.70" Length
Fore Grip:	FG200A/.250	2" Foregrip 'A' Grade
Rear Grip:	RG7A-345	7" Cork Rear Grip 'A' Grade
Winding Check:	BWC11	Black PVC/Rubber Winding Check .450" I.D.
Hookeeper:	HKS	Small Stainless Steel Hook Keeper
Tip Top:	PLT06R06.5	P Top 06 'H' Ring 6.5 Tube - Chrome
Guides (see below for size and quantity)	VSLG	Forecast Single Foot silver

Guide order from the tip top	Guide	Guide Placement - In inches from the tip top
1st	VSLG06	4.75"
2nd	VSLG07	9.75"
3rd	VSLG08	16"
4th	VSLG10	23.5"
5th	VSLG16	32.75"
6th	VSLG25	44.5"

The items listed are only suggestions. Batson Enterprises encourages all custom rod builders to find a style that works for them.

SPG842 - Forecast Casting

Component	Part Number	Part Description
Rod Blank Model #	SPG842-GB	7' 1 pc. Lt Glass - Gloss Black
Butt cap:	SBC20B	Butt Cap 19.8mm ID-Black
Reel Seat:	GT16C with GT16C-SN-S	Graphite Trigger Seat with Hood with cushioned Single Nut - Polished
Reel Seat Shim:	SHIM/16/SPIN	Proof Board .590" OD 3.70" Length
Fore Grip:	FG200A/.250	2" Foregrip 'A' Grade
Rear Grip:	RG9A-345	9" Cork Rear Grip 'A' Grade
Winding Check:	BWC11	Black PVC/Rubber Winding Check .450" I.D.
Hookeeper:	HKS	Small Stainless Steel Hook Keeper
Tip Top:	PLT06R06.0	P Top 06 'H' Ring 6.0 Tube - Chrome
Guides (see below for size and quantity)	FLG	S/S Single Foot Fly Guide Ground w/ 'H' Ring - Polished
Guides (see below for size and quantity)	UDLG	Double Foot U Frame 'H' Ring - Polished

Guide order from the tip top	Guide	Guide Placement - In inches from the tip top
1st	FLG06	3.75"
2nd	FLG06	7.75"
3rd	FLG06	12"
4th	FLG06	16.5"
5th	FLG07	21.5"
6th	FLG07	27"
7th	UDLG08	33.5"
8th	UDLG10	41.125"
9th	UDLG12	50"

The items listed are only suggestions. Batson Enterprises encourages all custom rod builders to find a style that works for them.

SPG843 - Forecast Casting

Component	Part Number	Part Description
Rod Blank Model #	SPG843-GB	7' 1 pc. Med Glass - Gloss Black
Butt cap:	SBC20B	Butt Cap 19.8mm ID-Black
Reel Seat:	GT16C with GT16C-SN-S	Graphite Trigger Seat with Hood with cushioned Single Nut - Polished
Reel Seat Shim:	SHIM/16/SPIN	Proof Board .590" OD 3.70" Length
Fore Grip:	FG200A/.250	2" Foregrip 'A' Grade
Rear Grip:	RG9A-345	9" Cork Rear Grip 'A' Grade
Winding Check:	BWC13	Black PVC/Rubber Winding Check .500" I.D.
Hookeeper:	HKS	Small Stainless Steel Hook Keeper
Tip Top:	PLT06R07.0	P Top 06 'H' Ring 7.0 Tube - Chrome
Guides (see below for size and quantity)	FLG	S/S Single Foot Fly Guide Ground w/ 'H' Ring - Polished
Guides (see below for size and quantity)	UDLG	Double Foot U Frame 'H' Ring - Polished

Guide order from the tip top	Guide	Guide Placement - In inches from the tip top
1st	FLG06	3.75"
2nd	FLG06	7.75"
3rd	FLG06	12"
4th	FLG06	16.5"
5th	FLG07	21.5"
6th	FLG07	27"
7th	UDLG08	33.5"
8th	UDLG10	41.125"
9th	UDLG12	50"

The items listed are only suggestions. Batson Enterprises encourages all custom rod builders to find a style that works for them.

SPG844 - Forecast Casting

Component	Part Number	Part Description
Rod Blank Model #	SPG844-GB	7' 1 pc. Med/Heavy Glass - Gloss Black
Butt cap:	SBC20B	Butt Cap 19.8mm ID-Black
Reel Seat:	GT16C with GT16C-SN-S	Graphite Trigger Seat with Hood with cushioned Single Nut - Polished
Reel Seat Shim:	SHIM/16/SPIN	Proof Board .590" OD 3.70" Length
Fore Grip:	FG200A/.250	2" Foregrip 'A' Grade
Rear Grip:	RG9A-345	9" Cork Rear Grip 'A' Grade
Winding Check:	BWC13	Black PVC/Rubber Winding Check .500" I.D.
Hookeeper:	HKS	Small Stainless Steel Hook Keeper
Tip Top:	PLT06R08.0	P Top 06 'H' Ring 8.0 Tube - Chrome
Guides (see below for size and quantity)	FLG	S/S Single Foot Fly Guide Ground w/ 'H' Ring - Polished
Guides (see below for size and quantity)	UDLG	Double Foot U Frame 'H' Ring - Polished

Guide order from the tip top	Guide	Guide Placement - In inches from the tip top
1st	FLG06	3.75"
2nd	FLG06	7.75"
3rd	FLG06	12"
4th	FLG06	16.5"
5th	FLG07	21.5"
6th	FLG07	27"
7th	UDLG08	33.5"
8th	UDLG10	41.125"
9th	UDLG12	50"

The items listed are only suggestions. Batson Enterprises encourages all custom rod builders to find a style that works for them.

SPG845 - Forecast Casting

Component	Part Number	Part Description
Rod Blank Model #	SPG845-GB	7' 1 pc. Heavy Glass - Gloss Black
Butt cap:	SBC20B	Butt Cap 19.8mm ID-Black
Reel Seat:	GT16C with GT16C-SN-S	Graphite Trigger Seat with Hood with cushioned Single Nut - Polished
Reel Seat Shim:	SHIM/16/SPIN	Proof Board .590" OD 3.70" Length
Fore Grip:	FG200A/.250	2" Foregrip 'A' Grade
Rear Grip:	RG9A-345	9" Cork Rear Grip 'A' Grade
Winding Check:	BWC13	Black PVC/Rubber Winding Check .500" I.D.
Hookeeper:	HKS	Small Stainless Steel Hook Keeper
Tip Top:	PLT06R08.0	P Top 06 'H' Ring 8.0 Tube - Chrome
Guides (see below for size and quantity)	FLG	S/S Single Foot Fly Guide Ground w/ 'H' Ring - Polished
Guides (see below for size and quantity)	UDLG	Double Foot U Frame 'H' Ring - Polished

Guide order from the tip top	Guide	Guide Placement - In inches from the tip top
1st	FLG06	3.75"
2nd	FLG06	7.75"
3rd	FLG06	12"
4th	FLG06	16.5"
5th	FLG07	21.5"
6th	FLG07	27"
7th	UDLG08	33.5"
8th	UDLG10	41.125"
9th	UDLG12	50"

The items listed are only suggestions. Batson Enterprises encourages all custom rod builders to find a style that works for them.